



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 776]

नई दिल्ली, मंगलवार, अक्टूबर 30, 2018/कार्तिक 8, 1940

No. 776]

NEW DELHI, TUESDAY, OCTOBER 30, 2018/KARTIKA 8, 1940

सङ्क परिवहन एवं राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 30 अक्टूबर, 2018

सा.का.नि. 1073(अ).—निम्नलिखित प्रारूप नियम, केंद्रीय मोटरयान नियम, 1989 का और संशोधन करने के लिए, जिन्हें केंद्र सरकार मोटर यान अधिनियम, 1988 (1988 का 59) की धारा 27 एवं धारा 64 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए बनाने का प्रस्ताव करती है, को इस अधिनियम की धारा 212 की उप-धारा (1) के द्वारा यथावश्यक इसके द्वारा प्रभावित होने की संभावना वाले सभी व्यक्तियों की जानकारी के लिए एतदद्वारा प्रकाशित किया जाता है, और एतदद्वारा नोटिस दिया जाता है कि इन प्रारूप नियमों को उस तारीख से तीस दिन की अवधि समाप्त होने के बाद विचारार्थ स्वीकार कर लिया जाएगा जिसको सरकारी राजपत्र में यथा-प्रकाशित इस अधिसूचना की प्रतियां जनता के लिए उपलब्ध करायी जाती हैं।

2. कोई आपत्तियों या सुझावों, जो प्रारूप नियमों के प्रकाशित होने की तिथि से विनिर्दिष्ट अवधि समाप्ति के अन्तर्गत किसी व्यक्ति से उक्त प्रारूप नियमों के संबंध में प्राप्त होंगे, पर केन्द्र सरकार द्वारा विचार किया जायेगा।

3. इन प्रारूप नियमों के संबंध में आपत्तियाँ और सुझाव, यदि कोई हो, को संयुक्त सचिव (एमवीएल), सङ्क परिवहन एवं राजमार्ग मंत्रालय, परिवहन भवन, संसद मार्ग, नई दिल्ली को ईमेल jspb-morth@gov.in के माध्यम से उक्त विनिर्दिष्ट अवधि में समयान्तर्गत भेजा जा सकता है।

प्रारूप नियम

1. (1) इन नियमों को मोटर यान (..... संशोधन) नियम, 2018 कहा जाएगा।

(2) यह 1 जुलाई, 2019 से प्रभावी होगा।

2. केंद्रीय मोटर यान नियम, 1989 में, नियम 16(1) में, दिये गये शब्दों के बाद “प्रपत्र-6” के स्थान पर निम्नवत् अंतःस्थापित किया जायेगा;-

“प्रपत्र 7 के रूप में लेमिनेटेड प्रकार का कार्ड या स्मार्ट कार्ड चालन अनुज्ञाप्ति जो क्यू आर कोर्ड से युक्त होगा तथा एनएफसी या बिना एनएफसी क्षमता के होगा।”

3. केंद्रीय मोटर यान नियम, 1989 में, नियम 16(2) में दिये गये शब्दों के बाद “जारी करने के लिए आवश्यक साधिन्न हो” के पछात् निम्नलिखित का विलोप किया जायेगा;-

“लेमिनेटेड कार्ड किस्म या”

4. केंद्रीय मोटर यान नियम, 1989 में, नियम 16(2) में, दिये गये शब्दों के बाद “स्मार्ट कार्ड चालन अनुज्ञापि, इस तरह के”, के पश्चात निम्नलिखित का विलोप किया जाएगा-
- “कार्ड प्रकार या”
5. केंद्रीय मोटर यान नियम, 1989 में, नियम 16 में उप नियम (3) का विलोप किया जायेगा;
6. केंद्रीय मोटर यान नियम, 1989 में, नियम 48 में प्रयुक्त शब्द ‘रजिस्ट्रीकरण प्रमाण पत्र में’, के पश्चात निम्नलिखित का विलोप किया जायेगा;-
- “प्रपत्र 23 या”
7. केंद्रीय मोटर यान नियम, 1989 में, “प्रपत्र 6”, को विलोपित किया जाएगा;
8. केंद्रीय मोटर यान नियम, 1989 में, दिये गये “प्रपत्र 7” के स्थान पर निम्नलिखित प्रपत्र प्रतिस्थापित किया जाएगा, अर्थात्:-


“प्रपत्र 7

[(नियम 16 (2) देखें)]


चालन अनुज्ञापि का प्रपत्र(लेमिनेटेड / स्मार्ट कार्ड)

द्रष्टिक निरीक्षण क्षेत्र


कार्ड के सामने का डिजाइन इस प्रकार होगा:



कार्ड के पीछे का डिजाइन इस प्रकार होगा:




कार्ड की विशिष्टियों का विवरण निम्न प्रकार होगा:
सामने के लिए



पीछे के

लिए



कार्ड का आकार – 85.6 मिमी x 54.02 मिमी +/- 2 मिमी; न्यूनतम मोटाई 0.7 मिमी				प्लॉस्टिक (पीवीसी) या पोली कार्बोनेट			
लेमिनेटेड कार्ड या स्मार्ट कार्ड के लिये सामग्री				पीछे की ओर			
सामने की ओर				पीछे की ओर			
क्रमांक	विशेषताएँ	नाम	आकार	क्रमांक	सुविधाएँ	नाम	आकार
1	कार्ड शीर्षलेख	असंख्य समर्थक बोल्ड	8 बिन्दु	1	अशक्त यान (रजिस्ट्रीकरण संख्या) : यदि लागू हो	असंख्य समर्थक नियमित	5 बिन्दु
2	राष्ट्रीय प्रतीक	प्रतीक	6.6 मिमी x 11 मिमी	2	चालन अनुशिष्ट संख्या	असंख्य समर्थक नियमित	9 बिन्दु
3	अनुज्ञित लाइसेंस	असंख्य समर्थक	9 बिन्दु	3	चिप संख्या	असंख्य समर्थक	5 बिन्दु

	संख्या	बोल्ड			(चिप आधारित कार्ड की दशा में लागू)	नियमित	
4	प्रथम बार जारी करने की तिथि दिन/माह/वर्ष	असंख्य समर्थक नियमित	6 बिन्दु	4	यान श्रेणी सारिणी	असंख्य समर्थक नियमित	3 बिन्दु
5	नाम	असंख्य समर्थक नियमित	6 बिन्दु	5	अनुज्ञाप्ति प्राधिकारी	असंख्य समर्थक नियमित	3 बिन्दु
6	जन्म तिथि	असंख्य समर्थक नियमित	6 बिन्दु	6	फॉर्म-7 नियम 16 (2)	असंख्य समर्थक नियमित	4 बिन्दु
7	पुत्र/पुत्री/पत्नी /का नाम	असंख्य समर्थक नियमित	6 बिन्दु	7	क्यूआर कोड (केन्द्र सरकार द्वारा यथाविनिर्दिष्ट)	लगू नहीं	16 मिमी x11 मिमी
8	पता	असंख्य समर्थक नियमित	6 बिन्दु	10	परिसंकटमय वैधता: यदि लागू हो	असंख्य समर्थक नियमित	5 बिन्दु
9	रक्त समूह	असंख्य समर्थक नियमित	6 बिन्दु	11	पहाड़ी वैधता: यदि लागू हो	असंख्य समर्थक नियमित	5 बिन्दु
10	अंग दाता	असंख्य समर्थक नियमित	6 बिन्दु	12	आपातकालीन दूरभाष संख्या	असंख्य समर्थक नियमित	3 बिन्दु
11	ड्राइविंग लाइसेंस नम्बर	असंख्य समर्थक नियमित	6 बिन्दु				
12	धारक का हस्ताक्षर	असंख्य समर्थक नियमित	6 बिन्दु				
13	कार्ड जारी करने की तिथि	असंख्य समर्थक नियमित	4 बिन्दु				
14	फोटो	उपलब्ध नहीं	16 मिमी x 11 मिमी				
15	राज्य/केंद्र प्रदेश कोड	असंख्य प्रो नियमित	6 बिन्दु				
16	वैधता (टी)	असंख्य प्रो नियमित	6 बिन्दु				
17	वैधता (एन.टी.)	असंख्य प्रो नियमित	6 बिन्दु				

एनएफसी (निकट क्षेत्र संचार) सक्षमता के लिए, वायु इन्टरफ़ेस विविधियाँ आईएसओ/आईईसी 18000-3 तथा आईएसओ/आईईसी 14443 तथा केन्द्र सरकार द्वारा यथा विनिर्दिष्ट फेलिका ऑकड़ा क्षेत्र के साथ सक्षम किया जाएगा।

निम्नलिखित सुरक्षा विषेषताओं को कार्ड में समाहित किया जायेगा—

- गुइलोचो पैटर्न
- सूक्ष्म मुद्रित पाठ
- सूक्ष्म लाइन
- पराबैंगनी रंग छिद्रण

- पानी के निशान
- उपरी परत के नीचे होलोग्राम

कार्ड सामग्री

पॉली विनाइल क्लोरोइड (पीवीसी) के लिए: चमकदार सतह, पॉली विनाइल क्लोरोइड (पीवीसी) / एफ्रिलोनाइट्रोइल ब्यूटेडाइन स्टायराइन (ए०वी०एस०) प्लास्टिक निर्माण, ओवरले के साथ रंग डाई उत्सादन छपाई की अनुमति, जैसा की के०मो०या०नि० के अनुलग्नक XI में परिभाषित है।

पाली कार्बोनेट कार्ड के लिए: शुद्ध पाली कार्बोनेट परतों का प्रयोग करते हुए बहुस्तरित कार्ड निर्माण, चिपके हुए (लेमिनेटेड) या चिपकने वाला किसी भी तरह के बिना गर्मी और दबाव के साथ एक साथ जुड़े हुए। बाहरी ओवरले सहित कार्ड शरीर सामग्री लेजर उत्कीर्णन के माध्यम से निजीकरण के लिए सक्षम होना चाहिए।

पृष्ठभूमि रंग विवरण					
सामने की ओर			पीछे की ओर		
क्र. सं.	हेक्स कोड	छपाई का रंग	क्र. सं.	हेक्स कोड	छपाई का रंग
15	#f8951d	सी:ओ:एम: 49 वाई: 100 के:0	4	#ddf1fa	सी:12 एम: 1 वाई:2 के:0
18	ग्रेडिएंट कलर ऊपर: #e7f5f5 नीचे:#a3daf7	ग्रेडिएंट कलर ऊपर: सी:8एम:0 वाई:3 के:0 नीचे:सी:33एम:1 वाई:0के:0	8	#edf8fc	सी:6एम:0वाई:1के:0
19	#edf8fc	सी:6 एम:0 वाई:1 के:0	9	ग्रेडिएंट रंग ऊपर: #e7f5f5 नीचे:#a3daf7	ग्रेडिएंट रंग ऊपर सी:8एम:0 वाई:3 के:0 नीचे:सी:33एम:1वाई:0के:0

मशीन पठन योग्य क्षेत्र

सम्बन्धित राज्य सरकारें मशीन पठन योग्य में लाइसेंस में निम्नलिखित विशेषताएँ प्रदान करेंगी—

मशीन पठनीय क्षेत्र में संग्रहित डाटा (म०प०क्षेत्र)

1.	कार्ड कमांक	12 अंक	
	(सुरक्षा सुविधा बदलना)		
प्रत्येक रिक्त चालन अनुज्ञाप्ति कार्ड पर कार्ड के पीछे की ओर एक अद्वितीय संख्या होना चाहिए			
। यह सादा कार्ड का उचित रिकॉर्ड सुनिश्चित करेगा।			
2.	SCOSTA संस्करण संख्या	4 अंक	
3.	आवश्यक आँकड़ों की संस्करण संख्या		
	स्मार्ट कार्ड पर चालन अनुज्ञाप्ति के लिए तत्व निर्देश	4 अंक	
4.	अनुज्ञाप्ति धारक का व्यक्तिगत विवरण		
	आधार वर्चुअल आईडी०	16 वर्ण	
	यू०आई०डी० संस्करण संख्या	4 वर्ण	
	चालन अनुज्ञाप्ति संख्या	16 वर्ण	
	चालन अनुज्ञाप्ति धारक का नाम	42 वर्ण	
	पूरा नाम	100 वर्ण	

	लिंग	1 वर्ण
	माता / पिता / पति का नाम	42 वर्ण
	संबंध	4 वर्ण
	जन्म तिथि	16 वर्ण
	प्रथम पहचान चिन्ह	50 वर्ण
	द्वितीय पहचान चिन्ह	50 वर्ण
	रक्त समूह	6 वर्ण
	मोबाइल संख्या	18 वर्ण
	ई-मेल आईडी	100 वर्ण
	वैकल्पिक मोबाइल नम्बर	18 वर्ण
	आपातकालीन सम्पर्क संख्या	18 वर्ण
	स्थायी पता	156 वर्ण
	वर्तमान पता	156 वर्ण
	शैक्षिक योग्यता	40 वर्ण
	अंग—दान हेतु दिया गया विकल्प	1 वर्ण
	अंग—दान के लिए चयनित अंग	100 वर्ण
	पूर्ववर्ती स्थायी पता	156 वर्ण
	पूर्ववर्ती वर्तमान पता	156 वर्ण
	पूर्ववर्ती पूरा नाम	100 वर्ण
5.	चालन अनुज्ञाप्ति का विवरण रू	
	चालन अनुज्ञाप्ति जारी होने की प्रथम तिथि	8 वर्ण
	मूल जारीकर्ता प्राधिकारी	16 वर्ण
	नवीनतम पृष्ठांकन संख्या	22 वर्ण
	नवीनतम पृष्ठांकन प्राधिकारी	16 वर्ण
	नवीनतम पृष्ठांकन की तिथि	8 वर्ण
	वैधता की तिथि— गैर परिवहन यान	8 वर्ण
	वैधता की तिथि— परिवहन यान	8 वर्ण
	परिसंकटमय वैधता की तिथि	8 वर्ण
	पहाड़ी क्षेत्रों हेतु वैधता तिथि	8 वर्ण
	परिवहन प्राधिकारी जिसने परिवहन प्राधिकार निर्गत किया हो	16 वर्ण
	परिवहन प्राधिकार संख्या	10 वर्ण
	परिवहन प्राधिकार तिथि	8 वर्ण
	अनुक्रम संख्या	9 वर्ण
	यान श्रेणी की अनुक्रम संख्या	9 वर्ण
	वित्र अनुक्रम संख्या	9 वर्ण
	ईए अनुक्रम संख्या	9 वर्ण
	अशक्त यान पंजीकरण संख्या (यदि कोई हो)	14 वर्ण
	चौदह वर्ण	

	नवीनतम ट्रान्जेक्शन संख्या	12 वर्ष
6.	यान श्रेणी का विवरण रु ; 08 वर्ष के यानों तक का प्राविधान	
	यान श्रेणी(सीओवी)	6 वर्ष
	जांचकर्ता प्राधिकारी का नाम	42 वर्ष
	जांचकर्ता प्राधिकारी का पदनाम	20 वर्ष
	यान की श्रेणी की देय तिथि	8 वर्ष
	यान श्रेणी– निर्गत द्वारा (कार्यालय कोड)	5 वर्ष
	बैज संख्या	20 वर्ष
	बैज निर्गत करने की तिथि	8 वर्ष
	बैज निर्गत द्वारा– अनुज्ञाप्ति अधिकारी कार्यालय	5 वर्ष
7.	दोषसिद्धि / अयोग्यता का विवरण रु ;15 चालानों /अयोग्यताओं तक के लिए प्राविधान)	
	प्रवर्तन प्राधिकारी का आईडी०	16 वर्ष
	प्रवर्तन / चालान संख्या	22 वर्ष
	प्रवर्तन की तिथि	8 वर्ष
	धारा / नियम	60 वर्ष
	शास्ति की राशि	6 क्याप्चेजे
	अयोग्यता का प्रकार (निलम्बन/निरस्तीकरण)	
	अयोग्यता – तिथि से	8 वर्ष
	अयोग्यता – तिथि तक	8 वर्ष
	यान की श्रेणी जो निलम्बित/ निरस्त है	6 वर्ष
	समाधान/पुर्णविचार तिथि	8 वर्ष
	पुर्णविचार प्राधिकारी की आईडी०	16 वर्ष
	अनुज्ञाप्ति प्राधिकरी की कार्यवाही संख्या	20 वर्ष
	अनुज्ञाप्ति प्राधिकारी जिसने कार्यवाही की हो	20 वर्ष
	टिप्पणी	100वर्ष
8.	प्रकरण ऑकड़ा तत्व	
	भेजे जाने वाले ऑकड़ों हेतु	8 वर्ष
	एमआरजेड अन्तिम अध्यावधिक	8 वर्ष
	आवेदन दिनांक	8 वर्ष
	सूश्म चिप नम्बर	32 वर्ष

9. केंद्रीय मोटर यान नियम,1989 में, दिये गये “ प्रपत्र 23” का विलोप किया जायेगा;

10. केंद्रीय मोटर यान नियम,1989 में, प्रपत्र 23 क, के स्थान पर निम्नलिखित प्रतिस्थापित किया जाएगा, अर्थात;—

‘फार्म 23 क

[नियम 48 देखें]

पंजीकरण प्रमाण पत्र (लेमिनेटेड/स्मार्ट कार्ड)

द्रष्टिक निरीक्षण क्षेत्र

कार्ड के सामने का डिजाइन इस प्रकार होगा:

Indian Union Vehicle Registration Certificate Issued by XXXXXXXXXXXXXXXXXXXXXXXXX		
	XY	AB
Registration No XXXXXXXXXX	Date of Regn. XX/XX/XXXX	Regn. Validity XX/XX/XXXX
Chassis No XXXXXXXXXXXXXXXXXX		Owner Sr.No XX
Engine No/Motor No XXXXXXXXXXXXXXXXXX		
Owner Name XXXXXXXXXXXXXXXXXXXXXX		
Fuel XXXXXXX	Son/Wife/Daughter of (In case of Individual Owner) XXXXXXXXXXXXXXXXXXXXXX	
Emission Norms XXXXXXXXXXXXXX	Address XXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXX	


Card Issue Date (XXX/XXX/XXX)

कार्ड के पीछे का डिजाइन इस प्रकार होगा:


XY AB		Vehicle Class: XXXXXX (XXX)
Registration No XXXXXXXXXX XXXXXX 	Maker's Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Model Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Colour XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Body Type XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
Link Horse Vehicle No XXXXXXXXXXXXXX	Unladen Weight(kgs) xxx GCW(kgs) xxx	GVW(kgs) xxx No of Axle xxx
Month & Yr. of Mfg. xx/xxxx	Seating(in all)/Standing/Sleeper Capacity xxx/xxx/xxx	
Wheel Base(mm) xxxxx	Lenght/Width/Height/Overhang/Rearhang(mm) xxx/xxx/xxx/xxx/xxx/xxx	
Cubic Capacity xxxxx	Financer Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
No of Cylinders xxxxx	CNG/LPG KIT Cylinder No XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	 Registration Authority XXXXXXXXXXXXXX

Form 23A

कार्ड की विशिष्टियों का विवरण निम्न प्रकार होगा:
सामने के लिए



पीछे के लिए:



कार्ड साइज -85.6mm x 54.02 mm +/- 2 mm; मोटाई न्यूनतम 0.7 mm				प्लास्टिक कार्ड(पीवीसी) या पोली कार्बोनेट			
सामने की ओर				पीछे की ओर			
क्रमांक	विषेषताएं	नाम	आकार	क्रमांक	विषेषताएं	नाम	आकार
1	कार्ड शीर्षलेख	असंख्य समर्थक बोल्ड	8 बिन्दु	1	निर्माता का नाम	फान्ट का नाम	4.5 बिन्दु
2	सुनहरा राष्ट्रीय प्रतीक	प्रतीक	6.2 मिमी x 10.5 मिमी	2	मॉडल का नाम	असंख्य समर्थक नियमित	4.5 बिन्दु
3	रजिस्ट्रीकरण संख्या	असंख्य समर्थक बोल्ड	6 बिन्दु	3	रंग	असंख्य समर्थक नियमित	4.5 बिन्दु
4	चेचिस संख्या	असंख्य समर्थक नियमित	6 बिन्दु	4	बॉडी का प्रकार	असंख्य समर्थक नियमित	4.5 बिन्दु
5	ईंजन संख्या / मोटर संख्या	असंख्य समर्थक नियमित	6 बिन्दु	5	सकल यान भार (किलोग्राम)	असंख्य समर्थक नियमित	4.5 बिन्दु
6	स्वामी का नाम	असंख्य समर्थक नियमित	6 बिन्दु	6	वाहन की श्रेणी (वर्ग जैसे ह.मो.या./ह.या.या.)	असंख्य समर्थक नियमित	4.5 बिन्दु
7	ईधन	असंख्य समर्थक नियमित	6 बिन्दु	7	क्यू आर कोड (केन्द्र सरकार द्वारा यथा विनिर्दिष्ट)	लगू नहीं	16 मिमी x11 मिमी
8	उत्सर्जन मानक	असंख्य समर्थक नियमित	6 बिन्दु	8	प्रपत्र 23-क	असंख्य समर्थक नियमित	4.5 बिन्दु

9	पुत्र/पुत्री/पत्नी	असंख्य समर्थक नियमित	6 बिन्दु	9	धूरी की संख्या	असंख्य समर्थक नियमित	4.5बिन्दु
10	पता	असंख्य समर्थक नियमित	6 बिन्दु	10	बैठने/खड़े होने/साने की क्षमता	असंख्य समर्थक नियमित	4.5बिन्दु
11	कार्ड जारी करने की तिथि (उददेश्य जैसे: नया/परिवर्तन/स्वामित्व हस्तांतरण)	असंख्य समर्थक नियमित	6 बिन्दु	11	लम्बाई/चौड़ाई/ऊंचाई/आगे निकला हुआ भाग/इपीछे निकला हुआ भाग (मिमी)	असंख्य समर्थक नियमित	4.5बिन्दु
12	स्वामी का क्रम संख्या	असंख्य समर्थक नियमित	6 बिन्दु	12	पंजीकरण प्राधिकारी का नाम	असंख्य समर्थक	4.5बिन्दु
13	रजिस्ट्रीकरण की वैधता	असंख्य समर्थक नियमित	6 बिन्दु	13	वित्तपोषक का नाम	असंख्य समर्थक	4.5बिन्दु
14	राज्य/केंद्र प्रशासन कोड	असंख्य समर्थक नियमित	6 बिन्दु	14	सी0एन0जी0/एल0पी0 जी0 किट सिलेन्डर संख्या	असंख्य समर्थक नियमित	4.5बिन्दु
15	श्रेणी (एन टी/टी आर)	असंख्य समर्थक नियमित	6 बिन्दु	15	सकल संयोजन भार (किलोग्राम में)	असंख्य समर्थक नियमित	4.5बिन्दु
16	रजिस्ट्रीकरण की तिथि दिन/माह/वर्ष	असंख्य समर्थक नियमित	6 बिन्दु	16	सिलेन्डरों की संख्या	असंख्य समर्थक नियमित	4.5बिन्दु
				17	घन क्षमता	असंख्य समर्थक नियमित	4.5बिन्दु
				18	पहिये का आधार	असंख्य समर्थक नियमित	4.5बिन्दु
				19	विनिर्माण किये जाने की माह एवं वर्ष	असंख्य समर्थक नियमित	4.5बिन्दु
				20	अश्व के रूप में जोड़ा जाने वाले यान संख्या	असंख्य समर्थक नियमित	4.5बिन्दु
				21	खाली भार (किलोग्राम में)	असंख्य समर्थक नियमित	4.5बिन्दु
				22	पंजीकरण संख्या	असंख्य समर्थक नियमित	4.5बिन्दु
				23	श्रेणी (एन टी/टी आर)	असंख्य समर्थक नियमित	6बिन्दु

			24	राज्य / केंद्रशासित कोड	असंख्य समर्थक नियमित	6बिन्दु
			27	कार्ड क्रमांक संख्या (चिप आधारित कार्ड की दशा में)	असंख्य समर्थक नियमित	6बिन्दु
एनएफसी (निकट क्षेत्र संचार) सक्षमता के लिए, वायु इन्टरफ़ेस विषिष्टियाँ आईएसओ/आईईसी 18000-3 तथा आईएसओ/आईईसी 14443 तथा केन्द्र सरकार द्वारा यथा विनिर्दिष्ट फ़िलिका ऑकड़ा क्षेत्र के साथ सक्षम किया जाएगा						
निम्नलिखित सुरक्षा सुविधाओं को कार्ड में शामिल किया जायेगा—						
<ul style="list-style-type: none"> • गुइलोचो पैटर्न • माइक्रो मुद्रित पाठ • माइक्रो लाइन • अल्ट्रावाइलेट फोलोरेसिंग रंग • पानी के निशान • उपरी परत के नीचे होलोग्राम 						
कार्ड सामग्री						
पॉली विनाइल क्लोराइड (पीवीसी) के लिए: चमकदार सतह, पॉली विनाइल क्लोराइड (पीवीसी)/एक्रिलोनाइट्रोइल ब्यूटेडाइन स्टायराइन (ए०गी०एस०) प्लास्टिक निर्माण, ओवरले के साथ रंग डाई उत्सादन छपाई की अनुमति, जैसा की केंद्रशासित XI में परिभाषित है।						
पाली कार्बोनेट कार्ड के लिए: शुद्ध पाली कार्बोनेट परतों का प्रयोग करते हुए बहुस्तरित कार्ड निर्माण, चिपके हुए (लेमिनेटेड) या चिपकने वाला किसी भी तरह के बिना गर्मी और दबाव के साथ एक साथ जुड़े हुए। बाहरी ओवरले सहित कार्ड शरीर सामग्री लेजर उत्कीर्णन के माध्यम से निजीकरण के लिए सक्षम होना चाहिए।						

पृष्ठभूमि रंग विवरण					
सामने की ओर			पीछे की ओर		
Sr. No.	हेक्स कोड	छपाई का माध्यम	Sr. No.	हेक्स कोड	For Print Media
14	#f8951d	<u>सी:ओ:एम: 49 वाई: 100 के:0</u>	25	<u>ग्रेडिएंट रंग</u> ऊपर: #fffffff नीचे:#cbe5ef	<u>ग्रेडिएंट रंग</u> ऊपर: सी:0एम:0 वाई:3 के:0 नीचे:सी:9एम:2 वाई:3के:0
15	#44c7f1	<u>सी:60 एम:0 वाई:1 के:0</u>	26	<u>ग्रेडिएंट रंग</u> ऊपर: # e7f5f5 नीचे:#a3daf7	<u>ग्रेडिएंट रंग</u> ऊपर: सी:8एम:0 वाई:3 के:0 नीचे:सी:33एम:1 वाई:0के:0
17	ग्रेडिएंट रंग ऊपर: # e7f5f5 नीचे:#a3daf7	<u>ग्रेडिएंट रंग</u> ऊपर: सी:8एम:0 वाई:3 के:0 नीचे:सी:33एम:1 वाई:0के:0			
18	ग्रेडिएंट रंग ऊपर: #fffffff नीचे:#cbe5ef	<u>ग्रेडिएंट रंग</u> ऊपर: सी:0एम:0 वाई:3 के:0 नीचे:सी:9एम:2 वाई:3के:0			

मशीन पठन योग्य क्षेत्र

1.	क्रमांक, यूनिक क्रमांक, जो चिप संख्या हो सकती है तथा कार्ड क्रमांक से अलग होगी। यह संख्या सुरक्षा के लिए की बनाने हेतु उपयोग में लाया जा सकता है।	
2.	रजिस्ट्रीकरण विवरण	
	रजिस्ट्रीकरण संख्या	10 वर्ण
	पंजीकरण तिथि	8 वर्ण
	क्रम का तिथि	8 वर्ण
	स्वामी का नाम	40 वर्ण
	पुत्र / पत्नि / पुत्री (व्यक्ति की दषा में)	40 वर्ण
	स्वामी का वर्तमान पता(35+35+35+35(जिला)+6(पिनकोड़))	146 वर्ण
	स्वामी का स्थायी पता(35+35+35+35(जिला)+6(पिनकोड़))	146 वर्ण
	स्वामी का क्रम संख्या	2 अंक
	स्वामित्व का प्रकार	30 वर्ण
	पंजीकरण का प्रकार (एन,ए,ओ,डी)	1 वर्ण
	यान श्रेणी	50 वर्ण
	निर्माता / विनिर्माता	50 वर्ण
	मॉडल	50 वर्ण
	सिलेन्डर की संख्या	2 अंक
	अश्व शक्ति (प्ररूप 99999.99)	8 अंक
	बैठने की क्षमता	3 अंक
	खड़े होने की क्षमता	3 अंक
	शयन क्षमता	2 अंक
	खाली भार (किग्रा0)	6 अंक
	लदा हुआ भार (किग्रा0)	6 अंक
	सकल संयोजन भार, यदि लागू हो तो (किग्रा0)	6 अंक
	पहिये का आधार (मिमी0)	6 अंक
	घन क्षमता (प्ररूप 99999.99)	8 अंक
	फर्श का क्षेत्रफल (वर्ग मी) (प्ररूप 999.999)	7 अंक
	ईंधन	20 वर्ण
	चेसिस संख्या	30 वर्ण
	इंजन संख्या	30 वर्ण
	बॉडी का प्रकार	25 वर्ण
	रंग	25 वर्ण
	निर्मित होने का माह एवं वर्ष (माह वर्ष)	6 वर्ण
	रजिस्ट्रीकरण वैधता	8 वर्ण

	डीलर का नाम	50 वर्ण
	पैन संख्या	10 वर्ण
	बिक्री की राशि	9 अंक
	उत्पादन मानक	30 वर्ण
	ऊंचाई (मिमी0)	5 अंक
	लम्बाई (मिमी0)	5 अंक
	चौड़ाई (मिमी0)	5 अंक
	एसी युक्त (हां / नहीं)	1 वर्ण
	वीडियो युक्त (हां / नहीं)	1 वर्ण
	ऑडियो युक्त (हां / नहीं)	1 वर्ण
	रजिस्ट्रीकरण प्राधिकारी का नाम	35 वर्ण
3.	परिवहन यान का अतिरिक्त विवरण रू	
	धुरी की संख्या	2 अंक
	टायर्स की संख्या – सामने की धुरी	1 अंक
	टायर्स की संख्या – पीछे धुरी	1 अंक
	टायर्स की संख्या – अग्रानुक्रम धुरी	1 अंक
	टायर्स की संख्या – अन्य धुरी	1 अंक
	सामने की धुरी (टायर का आकार एवं विवरण)	20 वर्ण
	पीछे धुरी (टायर का आकार एवं विवरण)	20 वर्ण
	अग्रानुक्रम धुरी (टायर का आकार एवं विवरण)	20 वर्ण
	अन्य धुरी (टायर आकार एवं विवरण)	20 वर्ण
	सामने की धुरी भार (किलो0)	6 अंक
	पीछे की धुरी भार (किलो0)	6 अंक
	अग्रानुक्रम धुरी भार (किलो0)	6 अंक
	अन्य धुरी भार (किलो0)	6 अंक
	आगे निकला होना	5 अंक
	पीछे निकला होना	5 अंक
4.	अतिरिक्त विवरण यदि ट्रेलर संलग्न है (अधिकतम 3)/यान रू	
	प्रथम संलग्न ट्रेलर रजिस्ट्रीकरण चिन्ह	10 वर्ण
	द्वितीय संलग्न ट्रेलर रजिस्ट्रीकरण चिन्ह	10 वर्ण
	तृतीय संलग्न ट्रेलर रजिस्ट्रीकरण चिन्ह	10 वर्ण
	संयोजित यान रजिस्ट्रीकरण चिन्ह, यदि लागू हो तो	10 वर्ण
5.	कर भुगतान का विवरण रू ग 20	
	कर का प्रकार (58:मार्ग कर, 59:अतिरिक्त / विशेष मार्ग कर)	3 अंक

	धनराशि	9 अंक
	शास्ति	9 अंक
	भुगतान/छूट दिन माह वर्ष समयावधि से	8 वर्ण
	भुगतान/छूट दिन माह वर्ष समयावधि तक	8 वर्ण
	भुगतान/छूट की तिथि प्ररूप दिन माह वर्ष में	8 वर्ण
	कर का रूप	3 वर्ण
	(ल—आजीवन, ओ— एकबारीय, वाई— वार्षिक, एच—अद्वार्षिक, क्यू—त्रैमासिक,एम—मासिक, ई—छूट प्राप्त, एस— एकमुस्त)	
	यदि कर का रूप “ई” है तो भुगतान अवधि से/छूट से/तक ऊपर दिया गया प्रदर्शित होगा।	
	रसीद संख्या	20 वर्ण
6.	बीमा का विवरण :	
	कम्पनी का नाम	40 वर्ण
	पॉलिसी/मुख्यपृष्ठ संख्या	25 वर्ण
	वैधता प्रारूप दिनांक /माह/वर्ष में	8 वर्ण
	प्रकार	1 वर्ण
7.	हाइपोथिकेशन विवरण ग 4	
	हाइपोथिकेशन प्रकार	2 वर्ण
	(HP – Hire Purchase, HT – Hypothecation, LA – Lease Agreement)	
	फायनेन्सर का नाम	40 वर्ण
	पता	146 वर्ण
	हाइपोथिकेशन से in dd/mm/yyyy format	8 वर्ण
	Hypothecated To in dd/mm/yyyy format	8 वर्ण
8.	प्रदूषण का विवरण	
	जांच केन्द्र	40 वर्ण
	जांच केन्द्र का पता (35 + 35 + 35 + 25(City) + 6(PIN))	136 वर्ण
	जांच केन्द्र प्रमाणपत्र संख्या	20 वर्ण
	वैधता in ddmmyyyy format	8 वर्ण
9.	स्वरक्षता विवरण	
	वैधता का विवरण (ddmmyyyy)	8 वर्ण
	अधिकारी का नाम	40 वर्ण
	स्थान	20 वर्ण
10.	चालान का विवरण : x 40	
	चालान संख्या	10 वर्ण

	अभियुक्त की श्रेणी (D –चालक, C –परिचालक, O –वाहनस्वामी)	1 वर्ण
	धारा	10'5 वर्ण
	चालन करने वाले अधिकारी का नाम	40 वर्ण
	स्थान	30 वर्ण
	समय व तिथि (ddmmYYYY /hh-mm) format	16 वर्ण
	निपटारा करने वाले अधिकारी का नाम	40 वर्ण
	दण्ड की राशि	8 अंक
	रसीद संख्या	20 वर्ण
11.	स्थायी परमिट का विवरण रू	
	परमिट संख्या	25 वर्ण
	परमिट का प्रकार	30 वर्ण
	परमिट जारी करने वाले अधिकारी का नाम	30 वर्ण
	वैधता से in ddmmYYYY format	8 वर्ण
	वैधता तक in ddmmYYYY format	8 वर्ण
	प्रतिस्थापन तिथि (ddmmYYyy)	8 वर्ण
	क्षेत्र (e.g. Local, Distt, Region, State etc.)	90 वर्ण
	मार्ग से	30 वर्ण
	मार्ग तक	30 वर्ण
	चरण	200 वर्ण
	मार्ग की लम्बाई (km)	5 अंक
	प्रति दिन यात्रा की संख्या	2 अंक
	धारक का नाम	40 वर्ण
	धारक के पिता का नाम	40 वर्ण
	धारक की माता का नाम	40 वर्ण
	वर्तमान पता	146 वर्ण
	NOTE:- In Stages, only major stoppages are to be identified with “-“ delimiter	
12.	स्थायी वैकल्पिक परमिट / मार्ग :	
	मार्ग से	30 वर्ण
	मार्ग तक	30 वर्ण
	चरण	200 वर्ण
	NOTE:- In Stages, only major stoppages are to be identified with “-“ delimiter	
13.	परमिट क्रियाएं :	
	क्रियाएं (SUP-निलम्बन/CAN-निरस्त/SUR-समर्पण)	3 वर्ण
	से in ddmmYYYY format	8 वर्ण

	तक in ddmmmyyyy format	8 वर्ण
14.	अस्थायी परमिट का विवरण रू	
	परमिट संख्या	25 वर्ण
	परमिट का प्रकार (विवरण)	30 वर्ण
	परमिट जारी करने वाला प्राधिकारी	30 वर्ण
	वैधता से (ddmmmyyyy)	8 वर्ण
	वैधता तक (ddmmmyyyy)	8 वर्ण
	प्रतिस्थापन तिथि (ddmmmyyyy)	8 वर्ण
	क्षेत्र (स्थान, जनपद, संभाग, राज्य इत्यादि)	90 वर्ण
	मार्ग से	30 वर्ण
	मार्ग तक	30 वर्ण
	चरण	200 वर्ण
	मार्ग की लम्बाई (किलो)	5 अंक
	प्रति दिन यात्रा की संख्या	2 अंक
	धारक का नाम	40 वर्ण
	धारक के पिता का नाम	40 वर्ण
	धारक की माता का नाम	40 वर्ण
	वर्तमान पता	146 वर्ण
	NOTE: - In Stages, only major stoppages are to be identified with "-" delimiter	
15.	विशेष परमिट का विवरण रू	
	परमिट संख्या	25 वर्ण
	परमिट का प्रकार (अस्थायी/विशेष)	30 वर्ण
	परमिट जारी करने वाले प्राधिकारी का नाम	30 वर्ण
	वैधता से (ddmmmyyyy)	8 वर्ण
	वैधता तक (ddmmmyyyy)	8 वर्ण
	संचालन का क्षेत्र	200 वर्ण
	उद्देश्य	100 वर्ण
16.	प्रमाणीकरण विवरण रू ग 10	
	प्रमाणीकरण संख्या	25 वर्ण
	राज्य (केवल कोड)	2 वर्ण
	समयावधि से (ddmmmyyyy)	8 वर्ण
	समयावधि तक (ddmmmyyyy)	8 वर्ण
	डिमान्ड ड्राफ्ट की धनराशि	8 अंक
	ड्राफ्ट का उद्देश्य (C – संयुक्त, F – फीस, P – दन्ड)	1 वर्ण
	बँक ड्राफ्ट संख्या	10 वर्ण

	द्वापट दिनांक (ddmmYYYY)	8 वर्ष
	बैंक	4 वर्ष
	शाखा का नाम	30 वर्ष
17.	ऑल इन्डिया ट्रूरिस्ट परमिट विवरण रु	
	समयावधि से (ddmmYYYY)	8 वर्ष
	समयावधि तक (ddmmYYYY)	8 वर्ष
18.	ऑटो रिक्शा/स्थानीय टैक्सी की दशा में	
	मीटर संख्या	25 वर्ष
19.	अनापत्ति प्रमाणपत्र का विवरण	
	अनापत्ति प्रमाणपत्र संख्या	30 वर्ष
	राज्य को	2 वर्ष
	संभागीय परिवहन कार्यालय को	25 वर्ष
	NCRB विलयरेंस संख्या	20 वर्ष
	अनापत्ति प्रमाणपत्र निर्गत करने की तिथि	8 वर्ष
	(Note: "RTO To" indicates the description of destination RTO)	
20.	एक विशिष्ट वाहन के साथ पंजीकृत वैकल्पिक या अतिरिक्त सेमीट्रैलर का विवरण उक्त वाहन का पंजीकरण संख्याद्वारा	
	बॉडी का प्रकार	25 वर्ष
	खाली भार	6 अंक
	लदा हुआ भार	6 अंक
	चेसिंस संख्या	30 वर्ष
	सामने की धुरी (संख्या, टायर का आकार एवं विवरण)	16 वर्ष
	रियर धुरी (संख्या, टायर का आकार एवं विवरण)	16 वर्ष
	अग्रानुक्रम धुरी (संख्या, टायर का आकार एवं विवरण)	16 वर्ष
	अन्य धुरी (संख्या, टायर का आकार एवं विवरण)	16 वर्ष
	सामने की धुरी का भार (किग्रा)	6 अंक
	रियर धुरी का भार (किग्रा)	6 अंक
	अग्रानुक्रम धुरी का भार (किग्रा)	6 अंक
	अन्य धुरी का भार (किग्रा)	6 अंक
21.	रेट्रो फिटमेन्ट का विवरण रु	
	किट विनिर्माता	50 वर्ष
	किट प्रकार	50 वर्ष
	किट वर्कशॉप	50 वर्ष
	किट का क्रमांक	25 वर्ष

	किट हेतु प्रदूषण नियंत्रण का मापदंड	10 वर्ण
	वर्कशॉप की अनुज्ञित संख्या	25 वर्ण
	फिटमेंट तिथि	8 वर्ण
	हाइड्रो टेस्ट की तिथि	8 वर्ण
22.	रेट्रो फिटमेन्ट में प्रयुक्त सिलेन्डर्स की संख्या : x 6	
	सिलेन्डर का क्रमांक	25 वर्ण
	फिटमेंट तिथि	8 वर्ण
	एक विशिष्ट वाहन के साथ पंजीकृत वैकल्पिक या अतिरिक्त सेमीट्रोलर का विवरण (उक्त वाहन का पंजीकरण संख्या):	

[फा. सं. आरटी-11028 / 24 / 2016—एमवीएल]

प्रियांक भारती, संयुक्त सचिव

नोट : मूल नियम 2 जून 1989 की अधिसूचना संख्या सा. सां. नियम 590(अ.) के तहत भारत के राजपत्र, असाधारण, भाग II, खंड 3, उप-खंड (i) में प्रकाशित किए गए थे और अंतिम बार दिनांककी अधिसूचना संख्या सा.का.नि.(अ.) के तहत संशोधित किए गए थे।

MINISTRY OF ROAD TRANSPORT AND HIGHWAYS

NOTIFICATION

New Delhi, the 30th October, 2018

G.S.R. 1073(E).—The following draft rules, further to amend the Central Motor Vehicles Rules, 1989, which the Central Government proposes to make in exercise of the powers conferred by section 27 and section 64 the Motor Vehicles Act, 1988 (59 of 1988), is hereby published as required by sub-section (1) of section 212 of the said Act for information of all persons likely to be affected thereby and notice is hereby given that the said draft will be taken into consideration after expiry of a period of thirty days from the date on which the copies of this notification as published in the Gazette of India are made available to the public.

2. Any objections or suggestions which may be received from any person with respect to the said draft rules within the expiry of the period so specified will be considered by the Central Government.

3. The objections or suggestions, if any, to these Draft Rules may be sent to the Joint Secretary (MVL), Ministry of Road Transport and Highways, Transport Bhawan, Parliament Street, New Delhi, or through an email jspb-morth@gov.in, within the period, specified above.

DRAFT RULES

1. (1) These rules may be called the Central Motor Vehicles (_____ Amendment) Rules, 2018.
(2) They shall come into force on 1st of July 2019.
2. In the Central Motor Vehicles Rules, 1989, in rule 16(1), for the words “Form 6”, the following shall be inserted:-

- “Form 7 in form of a laminated card type or Smart Card type driving licence, and shall contain a QR code and with or without NFC enabled”;
3. In the Central Motor Vehicles Rules, 1989, in rule 16(2), after the words “the necessary apparatus, for the issue of”, the following shall be deleted;-
“laminated card type or”;

4. In the Central Motor Vehicles Rules, 1989, in rule 16(2), after the words “Smart Card type driving licence, such”, the following shall be deleted ;-
“card type or”;

5. In the Central Motor Vehicles Rules, 1989, in rule 16, sub rule (3) shall be deleted;
6. In the Central Motor Vehicles Rules, 1989, in rule 48, after the words “a certificate of registration in”, the following shall be deleted;-

“Form 23 or”;
7. In the Central Motor Vehicles Rules, 1989, “FORM 6”, shall be deleted;
8. In the Central Motor Vehicles Rules, 1989, for “FORM 7”, the following Form shall be substituted, namely;-


“FORM 7

[(See Rule 16 (2)]


FORM FOR DRIVING LICENCE (LAMINATED/SMART CARD)

VISUAL INSPECTION ZONE

The design of the card on the front side would be –




The design of the card on the reverse side would be –




The details of the features on the card would be as under:

For front side



For reverse side



Card Size - 85.6mm x 54.02 mm +/- 2 mm; Thickness minimum 0.7 mm							
Material for Laminated Card or Smart Card				Plastic (PVC) or Poly Carbonate			
Front Side				Reverse Side			
Sr. No.	Features	Font Name	Size	Sr. No.	Features	Font Name	Size
1	Card Header	Myriad Pro Bold	8pt	1	Invalid Carriage (Registration No.): if applicable	Myriad Pro Regular	5pt
2	National Emblem	Symbol	6.6mmx 11mm	2	Driving Licence Number	Myriad Pro Bold	9pt
3	Driving Licence Number	Myriad Pro Bold	9pt	3	Chip number (applicable in case of chip based card)	Myriad Pro Regular	5pt
4	Date of First Issue DD/MM/YYYY	Myriad Pro Regular	6pt	4	Vehicle class table	Myriad Pro Regular	3pt
5	Name	Myriad Pro Regular	6pt	5	Licensing Authority	Myriad Pro Regular	3pt
6	Date of Birth	Myriad Pro Regular	6pt	6	Form 7 Rule 16(2)	Myriad Pro Regular	4pt
7	Son/Daughter/ Wife Name	Myriad Pro Regular	6pt	7	QR code (As specified by Central Government)	NA	16mmx11mm
8	Address	Myriad Pro Regular	6pt	10	Hazardous Validity: if applicable	Myriad Pro Regular	5pt
9	Blood Group	Myriad Pro Regular	6pt	11	Hill Validity: if applicable	Myriad Pro Regular	5pt
10	Organ Donor	Myriad Pro Regular	6pt	12	Emergency Contact No.	Myriad Pro Regular	3pt
11	DL Number	Myriad Pro Regular	6pt				
12	Holder's Sign	Myriad Pro Regular	6pt				
13	Card Issue Date	Myriad Pro Regular	4pt				
14	Photograph	NA	16mm x 11mm				
15	State/UT Code	Myriad Pro Regular	6pt				
16	Validity(T)	Myriad Pro Regular	6pt				
17	Validity (NT)	Myriad Pro Regular	6pt				

For NFC (Near Field Communication) enable, specification of ISO/IEC 18000-3 air interface, and ISO / IEC 14443 and Felica with data field as specified by the Central Government

Following security features shall be incorporated in the card:

- Guilloche pattern
- Micro-printed text
- Micro line
- Ultra Violet fluorescing colour
- Water mark
- Hologram below the top layer

Card material

For Poly Vinyl Chloride (PVC): Glossy surface, Poly Vinyl Chloride (PVC) / Acrylonitrile Butadiene Styrene (ABS) plastic construction, with overlay to allow colour dye sublimation printing. As defined in Annexure XI of CMVR

For Poly carbonate card: Multi-layered card construction using pure polycarbonate layers, fused (laminated) together with heat and pressure without any kind of glue or adhesive. Card Body material including outer overlay should be capable of personalization through Laser engraving.

Background Colour Details

Front Side			Reverse Side		
Sr. No	Hex Code	Print colour	Sr. No.	Hex Code	Print colour
15	#f8951d	C: 0 M: 49 Y: 100 K:0	4	#ddf1fa	C:12 M: 1 Y:1 K:0
18	<u>Gradient Color</u> Top: #e7f5f5 Bottom:#a3daf7	<u>Gradient Color</u> Top:C:8 M: 0 Y:3 K:0 Bottom:C:33 M:1 Y:0 K:0	8	#edf8fc	C:6 M: 0 Y:1 K:0
19	#edf8fc	C:6 M: 0 Y:1 K:0	9	<u>Gradient Colour</u> Top: #e7f5f5 Bottom:#a3daf7	<u>Gradient Colour</u> Top: C:8 M: 0 Y:3 K:0 Bottom:C:33 M:1 Y:0 K:0

MACHINE READABLE ZONE

The concerned State Governments will provide the following features in the licence in Machine Readable Zone: -

Data stored in Machine Readable Zone (MRZ)		
1.	CARD SERIAL NUMBER (Covert Security Feature)	12 Digits
Each blank driving licence card must have a unique number, on back side of the Card on the Visual Inspection Zone. This will ensure proper record of the blank cards.		
2.	SCOSTA Version Number	4 Digits
3.	Version Number of the required data	
	Elements Specifications for Driving Licence in Smart Card	4 Digits
4.	Licence Holder Personal Details:	
	Aadhaar Virtual ID	16 Characters
	UID Version Number	4 Characters
	Driving Licence Number (DL)	16 Characters
	Name of the DL Holder	42 Characters

	Full original Name	100 Characters
	Gender	1 Characters
	Mother/Father/Husband Name	42 Characters
	Relationship	4 Characters
	Date of Birth	16 Characters
	First Identification Mark	50 Characters
	Second Identification Mark	50 Characters
	Blood Group	6 Characters
	Mobile Number	18 Characters
	Email Id	100 Characters
	Alternate Mobile Number	18 Characters
	Emergency Contact Number	18 Characters
	Permanent Address	156 Characters
	Present Address	156 Characters
	Qualification	40 Characters
	Opted for Organ Donation	1 Characters
	Organs Opted to donate	100 Characters
	Previous Permanent Address	156 Characters
	Previous Present Address	156 Characters
	Previous Full Name	100 Characters
5.	Driving License Details:	
	First Date of DL Issuance	8 Characters
	Original Issuing Authority	16 Characters
	Latest Endorsement Number	22 Characters
	Latest Endorsement Authority	16 Characters
	Date of Latest Endorsement	8 Characters
	Date Valid Till - Non Transport	8 Characters
	Date Valid Till -Transport	8 Characters
	Date of Hazardous Validity	8 Characters
	Date of Hill Region validity	8 Characters
	Authority who issued Transport Authorization	16 Characters
	Transport Authorization Number	10 Characters
	Transport Authorization date	8 Characters
	Sequence No	9 Characters
	COV Sequence No	9 Characters
	Image Sequence No	9 Characters
	EA Sequence Number	9 Characters
	Invalid carriage Vehicle Registration Number , if any 14 Characters	14 Characters

	Application Number of Latest Transaction	12 Characters
6.	Class of Vehicles Details: (Provision for upto 8 Classes of vehicles)	
	Class of Vehicle (COV)	6 Characters
	Name of the Testing Authority	42 Characters
	Designation of the Testing Authority	20 Characters
	Class of Vehicle due Date	8 Characters
	Class of vehicle - Issued By (Office Code)	5 Characters
	Badge No.	20 Characters
	Badge Issue Date	8 Characters
	Badge Issued by –LA Office	5 Characters
7.	Convictions/Disqualifications Details: (Provision for upto 15 Challans/Disqualifications)	
	Enforcement Authority ID	16 Characters
	Enforcement/Challan Number	22 Characters
	Date of Enforcement	8 Characters
	Section/Rule	60 Characters
	Fine Amount	6 Digits
	Disqualification Type (Suspended/Cancelled)	
	Disqualification from Date	8 Characters
	Disqualification Till Date	8 Characters
	Class of Vehicle that is suspended/Cancelled	6 Characters
	Settlement/Review Date	8 Characters
	Review Authority Id	16 Characters
	Proceeding Number of the Licensing Authority	20 Characters
	LA Authority who issued Proceedings	20 Characters
	Remarks	100Characters
8.	Miscellaneous Data Elements	
	Data pushed for	8 Characters
	MRZ Last updated	8 Characters
	Application Date	8 Characters
	Micro Chip Number	32 Characters

";

9. In the Central Motor Vehicles Rules, 1989, the “FORM 23” shall be deleted;

10. In the Central Motor Vehicles Rules, 1989, for FORM 23A, the following shall be substituted, namely;—

“FORM 23A

[See Rule 48]

CERTIFICATION OF REGISTRATION (LAMINATED / SMART CARD)

VISUAL INSPECTION ZONE

The design of the card on the front side would be as under:


 सत्यमेव जयते	Indian Union Vehicle Registration Certificate Issued by XXXXXXXXXXXXXXXXXXXXXXXXXX		
	Registration No XXXXXXXXXX	Date of Regn. XX/XX/XXXX	Regn. Validity XX/XX/XXXX
	Chassis No XXXXXXXXXXXXXXXXXX	Owner Sr.No XX	
	Engine No/Motor No XXXXXXXXXXXXXXXXXX		
	Owner Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	Son/Wife/Daughter of (In case of Individual Owner) XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
Fuel XXXXXXX			
Emission Norms XXXXXXXXXXXXXXXXXX	Address XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	Card Issue Date (XXX/XXX/XXXX)		

The design of the card on the reverse side would be as under


 	Vehicle Class: XXXXXXXX (XXX)		
Registration No XXXXXXXXXX	Maker's Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Model Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Colour XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Body Type XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Unladen Weight(kgs) GVW(kgs) XXX XXX		
Link Horse Vehicle No XXXXXXXXXXXXXXXXXX	GCW(kgs) XXX	No of Axle XXX	
Month & Yr. of Mfg. xx/xxxx	Seating(in all)/Standing/Sleeper Capacity xxx/xxx/xxx		
Wheel Base(mm) xxxxx	Length/Width/Height/Overhang/Rearhang(mm) xxxx/xxxx/xxxx/xxxx/xxxx		
Cubic Capacity xxxxx	Financer Name XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
No of Cylinders xxxxx	CNG/LPG KIT Cylinder No XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	 Registration Authority XXXXXXXXXXXXXX		
	Form 23A		

The details of the features on the card would be as under

For front side



For reverse side



Card Size - 85.6mm x 54.02mm +/- 2 mm, Thickness minimum of 0.7 mm							
Material for Laminated Card or Smart Card				Plastic (PVC) or Poly Carbonate			
Front side				Reverse side			
Sr. No.	Features	Font Name	Size	Sr. No.	Features	Font Name	Size
1	Card Header	Myriad Pro Bold	8pt	1	Maker's Name	Myriad Pro Regular	4.5pt
2	Golden National Emblem	Symbol	6.2mm x 10.5mm	2	Model Name	Myriad Pro Regular	4.5pt
3	Registration number	Myriad Pro Regular	6pt	3	Colour	Myriad Pro Regular	4.5pt
4	Chassis number	Myriad Pro Regular	6pt	4	Body Type	Myriad Pro Regular	4.5pt
5	Engine No/Motor No.	Myriad Pro Regular	6pt	5	GVW(kgs)	Myriad Pro Regular	4.5pt
6	Owner Name	Myriad Pro Regular	6pt	6	Vehicle Class (Category e.g. LMV/ LPV)	Myriad Pro Regular	4.5pt
7	Fuel	Myriad Pro Regular	6pt	7	QR Code (As specified by the Central Government)	NA	16mm x 11mm
8	Emission Norms	Myriad Pro Regular	6pt	8	Form 23A	Myriad Pro Regular	4.5pt
9	Son/ Daughter/ Wife of	Myriad Pro Regular	6pt	9	No. of Axle	Myriad Pro Regular	4.5pt
10	Address	Myriad Pro Regular	6pt	10	Seating/ Standing/ Sleeper Capacity	Myriad Pro Regular	4.5pt
11	Card Issue Date (Purpose e.g. NEW/ALT/TO)	Myriad Pro Regular	6pt	11	Length/ Width/ height/ Overhang/ Rear hang (mm)	Myriad Pro Regular	4.5pt
12	Owner's Serial Number	Myriad Pro Regular	6pt	12	Registering Authority's Name	Myriad Pro	4.5pt
13	Registration Validity	Myriad Pro Regular	6pt	13	Financer name	Myriad Pro	4.5pt
14	State / UT Code	Myriad Pro Regular	6pt	14	CNG/LPG Kit Cyl No.	Myriad Pro Regular	4.5pt
15	Category (NT/ TR)	Myriad Pro Regular	6pt	15	GCW (Kgs)	Myriad Pro Regular	4.5pt
16	Date of Registration DD/MM/YYYY	Myriad Pro Regular	6pt	16	No of Cylinders	Myriad Pro Regular	4.5pt
				17	Cubic Capacity	Myriad Pro Regular	4.5pt
				18	Wheel Base	Myriad Pro Regular	4.5pt

				19	Month & Yr. of Mfg.	Myriad Pro Regular	4.5pt
				20	Link Horse Vehicle No.	Myriad Pro Regular	4.5pt
				21	Unladen Weight(Kgs)	Myriad Pro Regular	4.5pt
				22	Registration No.	Myriad Pro Regular	4.5pt
				23	Category (NT/TR)	Myriad Pro Regular	6pt
				24	State / UT Code	Myriad Pro Regular	6pt
				27	Card Serial Number (applicable in case of chip based card)	Myriad Pro Regular	5pt

For NFC (Near Field Communication) - specification of ISO/IEC 18000-3 air interface, and ISO / IEC 14443 and Felica with data fields as specified by the Central Government

Following security features shall be incorporated in the card:

- Guilloche pattern
- Micro-printed text
- Micro line
- Ultra Violet fluorescing colour
- Water mark
- Hologram below the top layer

Card material

For Poly Vinyl Chloride (PVC): Glossy surface, Poly Vinyl Chloride (PVC)/ Acrylonitrile Butadiene Styrene (ABS) plastic construction, with overlay to allow colour dye sublimation printing. As defined in Annexure XI of CMVR

For Poly carbonate card: Multi-layered card construction using pure polycarbonate layers, fused (laminated) together with heat and pressure without any kind of glue or adhesive. Card Body material including outer overlay should be capable of personalization through Laser engraving

Background Colour Details					
Front Side			Reverse Side		
Sr. No.	Hex Code	For Print Media	Sr. No.	Hex Code	For Print Media
14	#f8951d	C:0 M: 49 Y:100 K:0	25	<u>Gradient Colour</u> Top: #ffffff Bottom:#cbe5ef	<u>Gradient Colour</u> Top: C:0 M: 0 Y:3 K:0 Bottom:C:9 M:2 Y:3 K:0
15	#44c7f1	C:60 M:0 Y:1 K:0	26	<u>Gradient Colour</u> Top: #e7f5f5 Bottom:#a3daf7	<u>Gradient Colour</u> Top: C:8 M: 0 Y:3 K:0 Bottom:C:33 M:1 Y:0 K:0
17	<u>Gradient Colour</u> Top: # e7f5f5 Bottom:#a3daf7	<u>Gradient Colour</u> Top: C:8 M: 0 Y:3 K:0 Bottom:C:33 M:1 Y:0 K:0			

18	<u>Gradient Colour</u> Top: #ffffff Bottom:#cbe5ef	<u>Gradient Colour</u> Top: C:0 M: 0 Y:3 K:0 Bottom:C:9 M:2Y:3 K:0			
----	--	--	--	--	--

MACHINE READABLE ZONE

1.	Serial Number: Unique serial number, which may be chip number and should be different than the Card Serial number. This number can be used for deriving security keys etc.	
2.	Registration Details	
	Registration Number	10 Characters
	Registration Date	8 Characters
	Purchase Date	8 Characters
	Owner Name	40 Characters
	Son/Wife /Daughter of (if Individual)	40 Characters
	Owner current Address (35+35+35+35(district)+6(Pincode)	146 Characters
	Owner Permanent Address (35+35+35+35(district)+6(Pincode)	146 Characters
	Owner Serial No.	2 digit
	Ownership Type	30 Characters
	Registration Type (N, A, O, D)	1 Characters
	Vehicle Class	50 Characters
	Maker/Manufacturer	50 Characters
	Model	50 Characters
	No of Cylinder	2 digits
	Horse Power (format 99999.99)	8 digits
	Seating Capacity	3 digits
	Standing Capacity	3 digits
	Sleeper Capacity	2 digits
	Unladen Weight (kgs)	6 digits
	Laden Weight(kgs)	6 digits
	Gross Combination Weight, if applicable (kgs)	6 digits
	Wheelbase (mm)	6 digits
	Cubic Capacity (format 99999.99)	8 digits
	Floor Area (sq m) (format 999.999)	7 digits
	Fuel	20 Characters
	Chassis No	30 Characters
	Engine No	30 Characters
	Body Type	25 Characters
	Colour	25 Characters
	Manufacturing Month & Year (mmyyyy)	6 Characters
	Registration Validity	8 Characters

	Dealer Name	50 Characters
	PAN No	10 Characters
	Sale Amount	9 digits
	Emission Norms	30 Characters
	Height (mm)	5 digits
	Length (mm)	5 digits
	Width (mm)	5 digits
	AC Fitted (Y/N)	1 Character
	Video Fitted (Y/N)	1 Character
	Audio Fitted (Y/N)	1 Character
	Registering Authority Name	35 Characters
3.	Additional Details of Transport Vehicle:	
	Number of Axle	2 digits
	Number of Tyre – Front Axle	1 digit
	Number of Tyre – Rear Axle	1 digit
	Number of Tyre – Tandem Axle	1 digit
	Number of Tyre – Other Axle	1 digit
	Front Axle (Description and Size of Tyre)	20 Characters
	Rear Axle (Description and Size of Tyre)	20 Characters
	Tandem Axle (Description and Size of Tyre)	20 Characters
	Other Axle (Description and Size of Tyre)	20 Characters
	Front Axle Weight (kgs)	6 digits
	Rear Axle Weight (kgs)	6 digits
	Tandem Axle Weight (kgs)	6 digits
	Other Axle Weight (kgs)	6 digits
	Overhang	5 digits
	Rear hang	5 digits
4.	Additional Details of if Attached Trailer (Maximum 3)/ Vehicle:	
	First Attached Trailer Registration Mark	10 Characters
	Second Attached Trailer Registration Mark	10 Characters
	Third Attached Trailer Registration Mark	10 Characters
	Linked Vehicle Registration Mark if applicable	10 Characters
5.	Tax Payment Details: x 20	
	Tax Type (58:Road Tax, 59:Additional/Special Road Tax)	3 digits
	Amount	9 digits
	Fine	9 digits
	Payment / Exemption Period From in ddmmyyyy	8 Characters
	Payment / Exemption Period To in ddmmyyyy	8 Characters

	Payment / Exemption Date in ddmmYYYY format	8 Characters
	Tax Mode (L – Life Time, O – One Time, Y – Yearly, H – Half Yearly Q – Quarterly, M – Monthly, E – Exempted, S - Lumpsum)	3 Characters
	If Tax Mode is “E”, then Payment Period From/ To above will indicate Exemption From/ To	
	Receipt No.	20 Characters
6.	Insurance Details :	
	Name of Company	40 Characters
	Policy/ Covernote Number	25 Characters
	Validity in dd/mm/yyyy format	8 Characters
	Type	1 Characters
7.	Hypothecation Details x 4	
	Hypothecation Type (HP – Hire Purchase, HT – Hypothecation, LA – Lease Agreement)	2 Characters
	Name of Financier	40 Characters
	Address (35+35+35+35(district)+6(Pincode))	146 Characters
	Hypothecated From in dd/mm/yyyy format	8 Characters
	Hypothecated To in dd/mm/yyyy format	8 Characters
8.	Pollution Under Control Details	
	Checking Centre	40 Characters
	Checking Center Add (35 + 35 + 35 + 25(City) + 6(PIN))	136 Characters
	PUCC Certificate No	20 Characters
	Validity in ddmmYYYY format	8 Characters
9.	Fitness Details:	
	Validity in ddmmYYYY format	8 Characters
	Officer Name	40 Characters
	Location	20 Characters
10.	Challan Details : x 40	
	Challan No.	10 Characters
	Accused category (D – Driver, C – Conductor, O – Owner)	1 Characters
	Section (Code Only) x 5	10*5 Characters
	Challaning Officer Name	40 Characters
	Location	30 Characters
	Date & Time in ddmmYYYY /hh-mm format	16 Characters
	Disposing Officer Name	40 Characters
	Penalty	8 digits
	Receipt No	20 Characters
11.	Permanent Permit Details:	

	Permit Number	25 Characters
	Permit Type (Description)	30 Characters
	Permit Issuing Authority Name	30 Characters
	Validity From in ddmmyyyy format	8 Characters
	Validity Upto in ddmmyyyy format	8 Characters
	Replacement Date in ddmmyyyy format	8 Characters
	Area (e.g. Local, Distt, Region, State etc.)	90 Characters
	Route From	30 Characters
	Route Upto	30 Characters
	Stages	200 Characters
	Route Length (km)	5 Digits
	Number of Trips per day	2 Digits
	Holder's Name	40 Characters
	Holder's Father Name	40 Characters
	Holder's Mother Name	40 Characters
	Current Address (35+35+35+35(district)+6(Pincode))	146 Characters
	NOTE:- In Stages, only major stoppages are to be identified with “-“ delimiter	
12.	Permanent Permit Alternate/By-Routes:	
	Route From	30 Characters
	Route Upto	30 Characters
	Stages	200 Characters
	NOTE:- In Stages, only major stoppages are to be identified with “-“ delimiter	
13.	Permit Actions:	
	Action (SUP-Suspension/CAN-Cancel/SUR-Surrender)	3 Characters
	From in ddmmyyyy format	8 Characters
	Upto in ddmmyyyy format	8 Characters
14.	Temporary Permit Details:	
	Permit Number	25 Characters
	Permit Type (Description)	30 Characters
	Permit Issuing Authority Name	30 Characters
	Validity From in ddmmyyyy format	8 Characters
	Validity Upto in ddmmyyyy format	8 Characters
	Replacement Date in ddmmyyyy format	8 Characters
	Area (e.g. Local, Distt, Region, State etc.)	90 Characters
	Route From	30 Characters
	Route Upto	30 Characters
	Stages	200 Characters
	Route Length (km)	5 digits
	No. of Trips per day	2 digits

	Holder's Name	40 Characters
	Holder's Father Name	40 Characters
	Holder's Mother Name	40 Characters
	Current Address (35+35+35+35(district)+6(Pincode)	146 Characters
	NOTE: - In Stages, only major stoppages are to be identified with "-" delimiter	
15.	Special Permit Details :	
	Permit Number	25 Characters
	Permit Type (Temporary/Special)	30 Characters
	Permit Issuing Authority Name	30 Characters
	Validity From in ddmmYYYY format	8 Characters
	Validity Upto in ddmmYYYY format	8 Characters
	Area of operation	200 Characters
	Purpose	100 Characters
16.	Authorization Details: x 10	
	Authorization Number	25 Characters
	State (Code Only)	2 Characters
	Period From in ddmmYYYY format	8 Characters
	Period To in ddmmYYYY format	8 Characters
	DD Amount	8 digits
	Purpose of Draft (C – Combined, F – Fee, P – Penalty)	1 Characters
	Bank Draft Number	10 Characters
	Draft Date in ddmmYYYY format	8 Characters
	Bank	4 Characters
	Branch	30 Characters
17.	All India Tourist Permit Details:	
	Period From in dd/mm/yyyy format	8 Characters
	Period To in dd/mm/yyyy format	8 Characters
18.	In Case of Auto Rickshaw/Local Taxies:	
	Meter Number	25 Characters
19.	NOC Details :	
	NOC Number	30 Characters
	State To	2 Characters
	RTO To	25 Characters
	NCRB Clearance No	20 Characters
	NOC Issue Date	8 Characters
	(Note: "RTO To" indicates the description of destination RTO)	
20.	Details of alternative or additional Semi-Trailer(s) registered with an articulated vehicle (Registration No same as articulated vehicle):	
	Body Type	25 Characters

	Unladen Weight	6 digits
	Laden Weight	6 digits
	Chassis No	30 Characters
	Front Axle (Number, Description and Size of Tyre)	16 Characters
	Rear Axle (Number, Description and Size of Tyre)	16 Characters
	Tandem Axle (Number, Description and Size of Tyre)	16 Characters
	Other Axle (Number, Description and Size of Tyre)	16 Characters
	Front Axle Weight (kgs)	6 digits
	Rear Axle Weight (kgs)	6 digits
	Tandem Axle Weight (kgs)	6 digits
	Other Axle Weight (kgs)	6 digits
21.	Retro Fitting Details :	
	Kit Manufacturer	50 Characters
	Kit Type	50 Characters
	Kit Workshop	50 Characters
	Kit Serial Number	25 Characters
	Kit PUCC Norms	10 Characters
	Workshop License No	25 Characters
	Fitment Date	8 Characters
	Hydro Test Date	8 Characters
22.	Retro Fitting Cylinder Details : x 6	
	Cylinder Serial Number	25 Characters
	Fitment Date	8 Characters
	Details of alternative or additional Semi-Trailer(s) registered with an articulated vehicle (Registration Number same as articulated vehicle):	

";

[F. No. RT-11028/24/2016-MVL]

PRIYANK BHARTI, Jt. Secy.

Note : The principal rules were published in the Gazette of India, Extraordinary, Part-II, Section 3, Sub-section (i), *vide* notification number G.S.R. 590(E), dated the 2nd June, 1989 and lastly amended *vide* notification number _____ dated.